















- XXVI, 3. 3. Follaro. D TI * * BΠR Nel campo 
 B Anepigrafe. 
 R D. 19,5; p. gr. 1,87. C^a (pat.) SM D. 19-20: p. gr. 2,33, 2,11 e 2,05.
 Stockert, id., n. 158. MV, C. Sroc., M. Esseg. e M. Budap.
- XXVI, 4. 4. Id. D TI • BΠR Nel campo 
 B Anepigrafe. 
 R D. 19 o 18,5; p. gr. 1,96 e 1,87. Stockert, id., n. 158. C. Sroc. e M. Zag.
- XXVI, 5. 5. Id. D TI Nel campo 
 B Anepigrafe. 
 R D. 21; p. gr. 1,70. Stockert, id., n. 158 a) M. Esseg.
- XXVI, 6. 6. Id. D ... Λ R Nel campo 
 B Anepigrafe. 
 R D. 19-20; p. gr. 1,63 e 1,59. Stockert, id., n. 158 b). C. Sroc. e M. Zag.
- XXVI, 7. 7. Id. D TI BAR Nel campo 
 B Anepigrafe. 
 R D. 19,5-20,5; p. gr. 1,38, 1,35 e 1,16. Stockert, id., n. 158 c). M. Esseg.
8. Id. D • TI • BΠR C. prec.
 B Tutto c. sopra.
 R P. gr. 1,57. C^a SM
- XXVI, 8. 9. Id. D TI • B • ΛR Nel campo 
 B Anepigrafe. 
 R D. 20,5; p. gr. 2,45. Stockert, id., n. 159 d). M. Budap.
10. Id. D Nel campo 
 senza leggenda. B Nel campo 
 R D. 18,5; p. gr. 0,90. Stockert, id., n. 160. C. Sroc.